

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	<i>B.G</i>	<i>System</i>	<i>pos</i>	<i>kks</i>	<i>Description</i>		
		13	13	12142	COVER (REAR BEARING)	10	MBD19HD001G	LOCKING WASHER 17		
		4	4	41222	Adjusting ring(Compressor bearing)	004	MBD19HD014G	STUD BOLT M36X310		
		4	4	41222	Adjusting ring(Compressor bearing)	005	MBD19HD014G	HEXAGONAL NUT M36		
		2	2	41222	Adjusting ring(Compressor bearing)	006	MBD19HD014G	TAPER PIN 20X140		
		4	4	41201	Combined journal & htrust bearing	008	MBD19HD013G	SOCKET HEAD SCREW M27X70		
		2	2	41201	Combined journal & htrust bearing	009	MBD19HD013G	TAPER PIN 16X80		
		18	18	41201	Combined journal & htrust bearing	014	MBD19HD013G	THRUST BEARING TILTING PAD		
		2	2	41201	Combined journal & htrust bearing	015	MBD19HD013G	THRUST BEARING TILTING PAD		
		18	18	41201	Combined journal & htrust bearing	016	MBD19HD013G	THRUST BEARING TILTING PAD		
		2	2	41201	Combined journal & htrust bearing	017	MBD19HD013G	THRUST BEARING TILTING PAD		
		20	20	41201	Combined journal & htrust bearing	18	MBD19HD013G	PIN 6*80		
		4	4	41140	Oil box, compressor	015	MBD19HD012G	SEAL STRIP 12X2		
		2	6	41140	Oil box, compressor	016	MBD19HD012G	SOCKET HEAD SCREW M12X40		
		2	6	41140	Oil box, compressor	017	MBD19HD012G	DISC COUPLE A13	*	*
		1	2	41140	Oil box, compressor	018	MBD19HD012G	TAPER PIN 8X60		
		42	42	41140	Oil box, compressor	020	MBD19HD012G	SEAL STRIP 0.25X6		
		42	42	41140	Oil box, compressor	021	MBD19HD012G	SQUARE 1		
		9	9	41120	Bearing seal ring	006	MBD19HD011G	SEAL STRIP 8X2		
		12	12	41120	Bearing seal ring	008	MBD19HD011G	HEXAGONAL HEAD SCREW M12X30		

			Inst. q.ty per	B.G	System	pos	kks	Description		
		4	4	41120	Bearing seal ring	010	MBD19HD011G	SOCKET HEAD SCREW M12X30		
		2	2	41120	Bearing seal ring	011	MBD19HD011G	TAPER PIN 8X30		
		22	22	41110	Cover	003	MBD19HD010G	HEXAGONAL HEAD SCREW M12X35		
		19	19	41110	Cover	004	MBD19HD010G	HEXAGONAL HEAD SCREW M16X55		
		4	4	41110	Cover	005	MBD19HD010G	TAPER PIN 10X65		
		1	1	41110	Cover	007	MBD19HD010G	SEAL RING A42X49		
		2	12	41105	Bearing pedestal	008	MBD19HD009G	STUD BOLT M42X280		
		2	4	41105	Bearing pedestal	009	MBD19HD009G	TAPER PIN 40X190		
		2	12	41105	Bearing pedestal	010	MBD19HD009G	SOCKET HEAD SCREW M30X90		
		12	12	41105	Bearing pedestal	011	MBD19HD009G	DISC COUPLE A30.5		
		4	24	41105	Bearing pedestal	012	MBD19HD009G	HEXAGONAL NUT M42		
		1	1	41105	Bearing pedestal	015	MBD19HD009G	PLUG M42X1.5		
		12	24	41000	Compressor bearing housing	009	MBD19HD008G	LOCKING WASHER 17		
		4	4	41000	Compressor bearing housing	013	MBD19HD008G	HEXAGONAL HEAD SCREW M10X22		
		4	4	41000	Compressor bearing housing	014	MBD19HD008G	DISC COUPLE A10.3		
		2	2	41000	Compressor bearing housing	023	MBD19HD008G	O RING 67X2.5-VITON		
		2	2	41000	Compressor bearing housing	024	MBD19HD008G	O RING 55X3-VITON		
		2	2	41000	Compressor bearing housing	029	MBD19HD008G	GASKET		
		2	2	41000	Compressor bearing housing	032	MBD19HD008G	SPHERIC WASHER A		
		2	2	41000	Compressor bearing housing	33	MBD19HD008G	SPHERIC WASHER A		

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	<i>B.G</i>	<i>System</i>	<i>pos</i>	<i>kks</i>	<i>Description</i>		
		2	2	16212	Adjusting ring(Turbine bearing)	004	MBD19HD007G	HEXAGONAL HEAD SCREW M24X230		
		2	2	16212	Adjusting ring(Turbine bearing)	005	MBD19HD007G	DISC COUPLE A21		
		2	2	16212	Adjusting ring(Turbine bearing)	006	MBD19HD007G	TAPER PIN 20X280		
		8	8	16212	Adjusting ring(Turbine bearing)	020	MBD19HD007G	SOCKET HEAD SCREW M10X20		
		18	18	16210	Journal bearing	015	MBD19HD006G	HEXAGONAL HEAD SCREW M8X20		
		18	18	16210	Journal bearing	016	MBD19HD006G	DISC COUPLE A8.2		
		4	4	16210	Journal bearing	106	MBD19HD006G	SOCKET HEAD SCREW M27X100		
		4	4	16210	Journal bearing	107	MBD19HD006G	TAPER PIN 16X140		
		13	13	16210	Journal bearing	202	MBD19HD006G	SEAL STRIP 8X2		
		4	4	16210	Journal bearing	205	MBD19HD006G	HEXAGONAL HEAD SCREW M8X30	M8*30	
		8	8	16210	Journal bearing	206	MBD19HD006G	DISC COUPLE A8.2		
		4	4	16210	Journal bearing	207	MBD19HD006G	HEXAGONAL NUT M8		
		13	13	16210	Journal bearing	302	MBD19HD006G	SEAL STRIP 8X2		
		11	11	16120	Bearing seal ring	008	MBD19HD005G	SEAL STRIP 8X2		
		12	12	16120	Bearing seal ring	009	MBD19HD005G	SOCKET HEAD SCREW M10X40		
		2	2	16120	Bearing seal ring	010	MBD19HD005G	TAPER PIN 6X55		
		8	8	16120	Bearing seal ring	013	MBD19HD005G	SOCKET HEAD SCREW M10X30		
		20	20	16120	Bearing seal ring	014	MBD19HD005G	DISC COUPLE A10.3		
		20	20	16120	Bearing seal ring	017	MBD19HD005G	SOCKET HEAD SCREW M20X60	M20*60	
		2	2	16105	Bearing housing	013	MBD19HD004G	STUD BOLT M20X100		

			Inst. q.ty per	B.G	System	pos	kks	Description		
		4	4	16105	Bearing housing	014	MBD19HD004G	STUD BOLT M20X170		
		2	2	16105	Bearing housing	015	MBD19HD004G	STUD BOLT M20X190		
		4	4	16105	Bearing housing	016	MBD19HD004G	STUD BOLT M36		
		10	10	16105	Bearing housing	017	MBD19HD004G	SOCKET HEAD SCREW M20X60		
		8	8	16105	Bearing housing	018	MBD19HD004G	HEXAGONAL NUT M20		
		4	4	16105	Bearing housing	019	MBD19HD004G	HEXAGONAL NUT M36		
		4	4	16105	Bearing housing	021	MBD19HD004G	TAPER PIN 14X85		
		4	4	16105	Bearing housing	022	MBD19HD004G	LOCKING WASHER 37		
		1	1	16000	Turbine bearing housing	005	MBD19HD003G	GASKET	*	*
		9	36	16000	Turbine bearing housing	008	MBD19HD003G	HEXAGONAL HEAD SCREW M12X40		
		1	1	16000	Turbine bearing housing	906	MBD19HD003G	O-RING 75*4-VITON		
		1	1	16000	Turbine bearing housing	907	MBD19HD003G	O-RING 55*4-VITON		
		2	10	12340	Shaft gland, Turbine exit	003	MBD19HD002G	SOCKET HEAD SCREW M16X40		
		2	4	12340	Shaft gland, Turbine exit	004	MBD19HD002G	SOCKET HEAD SCREW M20X50		
		1	2	12340	Shaft gland, Turbine exit	005	MBD19HD002G	TAPER PIN 16X75		
		2	2	12340	Shaft gland, Turbine exit	008	MBD19HD002G	SOCKET HEAD SCREW M8X30	M8*30	
		100	100	12340	Shaft gland, Turbine exit	009	MBD19HD002G	SEAL STRIP 0.25X6		
		100	100	12340	Shaft gland, Turbine exit	010	MBD19HD002G	SQUARE 1		
		144	144	12340	Shaft gland, Turbine exit	013	MBD19HD002G	SEAL STRIP 0.25X6		
		144	144	12340	Shaft gland, Turbine exit	014	MBD19HD002G	SQUARE 1		

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	<i>B.G</i>	<i>System</i>	<i>pos</i>	<i>kks</i>	<i>Description</i>		
		14	14	41300	Front bearing instrumentation	010	MBD19CX002G	DISC COUPLE A6.5		
		1	1	41300	Front bearing instrumentation	012	MBD19CX002G	GASKET THK.1		
		5	5	41300	Front bearing instrumentation	013	MBD19CX002G	SEAL RING A21X28		
		6	12	41300	Front bearing instrumentation	016	MBD19CX002G	DISC COUPLE A10.3		
		6	12	41300	Front bearing instrumentation	091	MBD19CX002G	DISC COUPLE A4.3		
		2	4	41300	Front bearing instrumentation	123	MBD19CX002G	DISC COUPLE A8.2		
		6	12	16300	Turbine bearing instrumentation	005	MBD19CX001G	DISC COUPLE A6.5		
		4	8	16300	Turbine bearing instrumentation	012	MBD19CX001G	DISC COUPLE A17	*	*
		1	1	16300	Turbine bearing instrumentation	013	MBD19CX001G	O RING 80X3.55-VITON		
		2	4	16300	Turbine bearing instrumentation	041	MBD19CX001G	DISC COUPLE A5.2		
		2	4	16300	Turbine bearing instrumentation	042	MBD19CX001G	DISC COUPLE A4.3		
		3	6	16300	Turbine bearing instrumentation	077	MBD19CX001G	DISC COUPLE A6.5		
		3	6	16300	Turbine bearing instrumentation	081	MBD19CX001G	DISC COUPLE A4.3		
		24	24	41010	Compressor generator assembly	004	MBA19MK001G	NUT M42	M42	
		24	24	41010	Compressor generator assembly	003	MBA19MK001G	COUPLING BOLT	M42	
		24	24	41010	Compressor generator assembly	005	MBA19MK001G	PARALLEL PIN 16M6X24	M6*24	
		2	2	18020	Rotor grounding	004	MKD68HD020G	PLATE		
		4	4	18020	Rotor grounding	006	MKD68HD020G	SOCKET HEAD SCREW M6X20		
		4	4	18020	Rotor grounding	007	MKD68HD020G	WASHER 6.1		
		4	4	18020	Rotor grounding	008	MKD68HD020G	SOCKET HEAD SCREW M12X55		

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	<i>B.G</i>	<i>System</i>	<i>pos</i>	<i>kks</i>	<i>Description</i>		
		5	5	18020	Rotor grounding	013	MKD68HD020G	FIXING MATERIALS		
		2	2	18020	Rotor grounding	016	MKD68HD020G	HEXAGONAL HEAD SCREW M12X20		
		1	1	81025	Bearing(OCE)	003	MKD68HD002G	PARALLEL PIN		
		2	2	81025	Bearing(OCE)	008	MKD68HD002G	INSULATING SECTOR		
		1	1	81025	Bearing(OCE)	009	MKD68HD002G	UPPER INSULATING TAPE		
		1	1	81025	Bearing(OCE)	010	MKD68HD002G	LOWER INSULATING TAPE		
		1	1	81025	Bearing(OCE)	012	MKD68HD002G	ADAPTER PLATE		
		2	2	81025	Bearing(OCE)	013	MKD68HD002G	ADAPTER PLATE		
		2	2	81025	Bearing(OCE)	014	MKD68HD002G	ADAPTER PLATE		
		1	1	81025	Bearing(OCE)	015	MKD68HD002G	ADAPTER PLATE		
		1	1	81025	Bearing(OCE)	025	MKD68HD002G	PIN 36X80		
		2	2	81025	Bearing(OCE)	027	MKD68HD002G	PARALLEL PIN		
		1	1	81025	Bearing(OCE)	028	MKD68HD002G	PIN		
		2	2	81025	Bearing(OCE)	029	MKD68HD002G	OIL DEFLECTOR IN TWO HALVES	OCE	
		4	4	81025	Bearing(OCE)	040	MKD68HD002G	SOCKET HEAD SCREW M16X80		
		8	8	81025	Bearing(OCE)	041	MKD68HD002G	SOCKET HEAD SCREW M12X25		
		20	20	81025	Bearing(OCE)	042	MKD68HD002G	HEXAGONAL HEAD SCREW M10X16		
		1	1	81025	Bearing(OCE)	045	MKD68HD002G	GRUB SCREW M8X10		
		12	12	81025	Bearing(OCE)	048	MKD68HD002G	PARALLEL PIN 8X30		
		2	2	81025	Bearing(OCE)	050	MKD68HD002G	PARALLEL PIN 10X20		

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	<i>B.G</i>	<i>System</i>	<i>pos</i>	<i>kks</i>	<i>Description</i>		
		20	20	81025	<i>Bearing(OCE)</i>	055	MKD68HD002G	WASHER 10.5		
		1	1	81525	<i>Bearing(CE)</i>	003	MKD68HD001G	PARALLEL PIN		
		2	2	81525	<i>Bearing(CE)</i>	008	MKD68HD001G	INSULATING SECTOR		
		1	1	81525	<i>Bearing(CE)</i>	009	MKD68HD001G	UPPER INSULATING TAPE		
		1	1	81525	<i>Bearing(CE)</i>	010	MKD68HD001G	LOWER INSULATING TAPE		
		1	1	81525	<i>Bearing(CE)</i>	016	MKD68HD001G	ADAPTER PLATE		
		2	2	81525	<i>Bearing(CE)</i>	017	MKD68HD001G	ADAPTER PLATE		
		2	2	81525	<i>Bearing(CE)</i>	018	MKD68HD001G	ADAPTER PLATE		
		1	1	81525	<i>Bearing(CE)</i>	019	MKD68HD001G	ADAPTER PLATE		
		8	8	81525	<i>Bearing(CE)</i>	020	MKD68HD001G	SHIM 0.2	.	
		8	8	81525	<i>Bearing(CE)</i>	021	MKD68HD001G	SHIM 0.15	.	
		16	16	81525	<i>Bearing(CE)</i>	022	MKD68HD001G	SHIM 0.2	.	
		16	16	81525	<i>Bearing(CE)</i>	023	MKD68HD001G	SHIM 0.15	.	
		1	1	81525	<i>Bearing(CE)</i>	026	MKD68HD001G	PIN 36X70		
		2	2	81525	<i>Bearing(CE)</i>	027	MKD68HD001G	PARALLEL PIN		
		1	1	81525	<i>Bearing(CE)</i>	028	MKD68HD001G	PIN		
		4	4	81525	<i>Bearing(CE)</i>	040	MKD68HD001G	SOCKET HEAD SCREW M16X80		
		8	8	81525	<i>Bearing(CE)</i>	041	MKD68HD001G	SOCKET HEAD SCREW M12X25		
		20	20	81525	<i>Bearing(CE)</i>	042	MKD68HD001G	HEXAGONAL HEAD SCREW M10X16		
		1	1	81525	<i>Bearing(CE)</i>	045	MKD68HD001G	GRUB SCREW M8X10		

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	B.G	System	pos	kks	Description		
		12	12	81525	Bearing(CE)	048	MKD68HD001G	PARALLEL PIN 8X30		
		2	2	81525	Bearing(CE)	050	MKD68HD001G	PARALLEL PIN 10X20		
		20	20	81525	Bearing(CE)	055	MKD68HD001G	WASHER 10.5		
		4	8	81010	O.C.E support assembly	022	MKD68HA002G	HEXAGONAL HEAD SCREW M56X240		
		2	2	81010	O.C.E support assembly	023	MKD68HA002G	TAPER PIN 30X190		
		2	2	81010	O.C.E support assembly	024	MKD68HA002G	HEXAGONAL NUT M24		
		4	8	81010	O.C.E support assembly	026	MKD68HA002G	WASHER		
		2	2	81010	O.C.E support assembly	027	MKD68HA002G	WASHER 25/44		
		2	2	81010	O.C.E support assembly	113	MKD68HA002G	HEXAGONAL HEAD SCREW M12X14		
		4	4	81010	O.C.E support assembly	602	MKD68HA002G	SCREW M48X420		
		2	2	81010	O.C.E support assembly	603	MKD68HA002G	TAPER PIN 16X100		
		4	4	81010	O.C.E support assembly	606	MKD68HA002G	HEXAGONAL HEAD SCREW M24X70		
		4	8	81510	C.E support assembly	022	MKD68HA001G	HEXAGONAL HEAD SCREW M56X240		
		1	2	81510	C.E support assembly	023	MKD68HA001G	TAPER PIN 30X190		
		1	2	81510	C.E support assembly	024	MKD68HA001G	HEXAGONAL NUT M24		
		1	2	81510	C.E support assembly	027	MKD68HA001G	WASHER 25/44		
		2	2	81510	C.E support assembly	113	MKD68HA001G	HEXAGONAL HEAD SCREW M12X24		
		4	4	81510	C.E support assembly	602	MKD68HA001G	SCREW M48X420		
		2	2	81510	C.E support assembly	603	MKD68HA001G	TAPER PIN 16X100		
		4	4	81510	C.E support assembly	606	MKD68HA001G	HEXAGONAL HEAD SCREW M24X70		

			<i>Inst.</i> <i>q.ty</i> <i>per</i>	<i>B.G</i>	<i>System</i>	<i>pos</i>	<i>kks</i>	<i>Description</i>		
		4	4	18010	C.E vibrations detectors	013	MKD68CY002G	HEXAGONAL HEAD SCREW M6X30		
		8	8	18010	C.E vibrations detectors	015	MKD68CY002G	SOCKET HEAD SCREW M6X30		
		8	8	18010	C.E vibrations detectors	016	MKD68CY002G	SOCKET HEAD SCREW M4X20		
		4	4	18010	O.C.E vibrations detectors	013	MKD68CY001G	HEXAGONAL HEAD SCREW M6X30		
		8	8	18010	O.C.E vibrations detectors	015	MKD68CY001G	SOCKET HEAD SCREW M6X30		
		4	4	18010	O.C.E vibrations detectors	016	MKD68CY001G	SOCKET HEAD SCREW M4X20		
		1	1	81010	Oil piping at bearing support(O.C.E)	004	MKD68BR002G	BLIND FLANGE		
		1	1	81010	Oil piping at bearing support(O.C.E)	006	MKD68BR002G	DIAPHRAGM		
		1	1	81010	Oil piping at bearing support(O.C.E)	007	MKD68BR002G	DIAPHRAGM FOR OIL CONTROL		
		1	2	81010	Oil piping at bearing support(O.C.E)	015	MKD68BR002G	PLUG 1/2NPT A105 00.500"		
		1	1	81010	Oil piping at bearing support(O.C.E)	017	MKD68BR002G	PLUG G 1/2"A		
		1	1	81510	Oil piping at bearing support(C.E)	004	MKD68BR001G	BLIND FLANGE		
		1	1	81510	Oil piping at bearing support(C.E)	006	MKD68BR001G	DIAPHRAGM		
		1	1	81510	Oil piping at bearing support(C.E)	007	MKD68BR001G	DIAPHRAGM FOR OIL CONTROL		
		1	2	81510	Oil piping at bearing support(C.E)	015	MKD68BR001G	PLUG 1/2NPT A105 00.500"		
		1	1	81510	Oil piping at bearing support(C.E)	017	MKD68BR001G	PLUG G 1/2"A		